

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) An airbag unit for a motor vehicle comprising:
a tubular gas generator for generating a filling gas for an airbag, the gas generator having a tube axis;
a fastening element for tying the gas generator to the motor vehicle; [[and]]
a deformation element which is configured to interact with the gas generator and deform to allow the tubular gas generator to be displaced relative to the motor vehicle in the direction of the tube axis; and
a first guide member arranged on the fastening element and a second guide member located on the tubular gas generator and engaged with the first guide member,
wherein the deformation element is arranged between the fastening element and the tubular gas generator.
2. (Cancelled).
3. (Currently Amended) The airbag unit of claim 1, ~~Claim 1, further comprising wherein the guide members are configured to guide for guiding~~ the tubular gas generator along a defined displacement path, wherein the guide members are engaged.
4. (Previously Presented) An airbag unit for a motor vehicle comprising:
a tubular gas generator for generating a filling gas for an airbag, the gas generator having a tube axis;
a fastening element for tying the gas generator to the motor vehicle;
a deformation element which is configured to interact with the gas generator and deform to allow the tubular gas generator to be displaced relative to the motor vehicle in the direction of the tube axis; and

a first guide member arranged on the fastening element and a second guide member located on the tubular gas generator and engaged with the first guide member.

5. (Currently Amended) The airbag unit of claim 4, ~~Claim 4~~, wherein the first guide member extends essentially in the direction of the tube axis of the tubular gas generator and the second guide member extends essentially in a direction away from the tube axis of the tubular gas generator.

6. (Currently Amended) The airbag unit of claim 4, ~~Claim 4~~, wherein the first guide member is a long hole and the second guide member is a pin engaging into the long hole.

7. (Original) The airbag unit of claim 3, wherein the displacement path formed by the guide members points essentially away from a vehicle occupant located in the vehicle interior.

8. (Currently Amended) The airbag unit of claim 4, wherein the first ~~and/or the second~~ guide member has at least one stop for limiting the displacement travel of the tubular gas generator in at least one direction.

9. (Previously Presented) The airbag unit of claim 1, wherein the deformation element is arranged so that a displacement of the tubular gas generator is prevented when the gas generator is subjected to a force, in the direction of the tube axis, which is lower than a predetermined force.

10. (Cancelled).

11. (Currently Amended) An airbag unit for a motor vehicle comprising:
a tubular gas generator for generating a filling gas for an airbag, the gas generator having a tube axis;

a fastening element for tying the gas generator to the motor vehicle; [[and]]
a deformation element which is configured to interact with the gas generator and
deform to allow the tubular gas generator to be displaced relative to the motor vehicle in the
direction of the tube axis; and

a first guide member arranged on the fastening element and a second guide member
located on the tubular gas generator and engaged with the first guide member,

wherein the deformation element is arranged between the fastening element and the
tubular gas generator; and

wherein the deformation element is arranged ~~so that~~ to brace the tubular gas generator
~~is braced by a stop and against~~ the fastening element such that the tubular gas generator bears
against a stop of the fastening element.

12. (Original) The airbag unit of claim 1, wherein the gas generator is positioned so
that the tube axis points essentially in the direction of the motor vehicle interior.

13. (Currently Amended) An airbag unit for a motor vehicle comprising:
a tubular gas generator for generating a filling gas for an airbag, the gas generator
having a tube axis;
a deformation element which is configured to interact with the gas generator and
deform to allow the tubular gas generator to be displaced relative to the motor vehicle in the
direction of the tube axis;

a first guide member arranged on a fastening element and a second guide member
located on the tubular gas generator and engaged with the first guide member; and

a housing for receiving further components of the airbag unit, wherein the housing is
arranged on the tubular gas generator.

14. (Currently Amended) The airbag unit of claim 13, wherein the housing houses
at least one of a diffuser and a gas bag.

15. (Canceled).

16. (Currently Amended) The airbag unit of claim 11, ~~further comprising wherein~~
the guide members for guiding are configured to guide the tubular gas generator along a
defined displacement path.

17. (Previously Presented) The airbag unit of claim 16, wherein the displacement
path formed by the guide members points essentially away from a vehicle occupant located in
the vehicle interior.

18. (Previously Presented) The airbag unit of claim 3, wherein at least one of the
guide members has a stop for limiting the displacement travel of the gas generator.

19. (Previously Presented) The airbag unit of claim 4, wherein the deformation
element is arranged in such a way that a displacement of the tubular gas generator is
prevented when the gas generator is subjected to a force in the direction of the tube axis
which is lower than a predetermined force.

20. (Previously Presented) The airbag unit of claim 11, wherein the deformation
element is arranged so that a displacement of the gas generator is prevented when the gas
generator is subjected to a force, in the direction of the tube axis, which is lower than a
predetermined force.

21. (Previously Presented) The airbag unit of claim 4, wherein the deformation
element is arranged between the fastening element and the gas generator.